



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/673,999	09/30/2003	Kurt A. Dobbins	026215-00006	2807
4372	7590	11/02/2007		
ARENT FOX LLP 1050 CONNECTICUT AVENUE, N.W. SUITE 400 WASHINGTON, DC 20036			EXAMINER BURGESS, BARBARA N	
			ART UNIT 2157	PAPER NUMBER
			NOTIFICATION DATE 11/02/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DCIPDocket@arentfox.com
IPMatters@arentfox.com
Patent_Mail@arentfox.com

Office Action Summary

Application No.

10/673,999

Applicant(s)

DOBBINS ET AL.

Examiner

Barbara N. Burgess

Art Unit

2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 August 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input checked="" type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. <u>10-27-07</u> |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This Office Action is in response to Amendment filed August 7, 2007. Claim 1 is presented for further examination. Claims 2-20 are presented for initial examination.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-20 is rejected under 35 U.S.C. 102(e) as being anticipated by Ikeda et al. (hereinafter "Ikeda", US Patent 6,788,683 B1).

As per claim 1, Ikeda discloses a method for transmitting data according to a flow table, a flow key, and one or more variables comprising:

Receiving a data transmission (column 3, lines 4-8, column 4, lines 30-32, column 7, lines 38-40);

Extracting at least one field from a header of the data transmission (column 5, lines 52-54, column 7, lines 37-39);

Art Unit: 2157

Determining a most granular bit-value mask corresponding to the at least one field from a mask table having a plurality of bit-value masks (column 7, lines 65-67, column 8, lines 3-10, 16-25);

Applying the determined bit-value mask to the at least one field (column 7, lines 48-59, column 8, lines 35-40, column 9, lines 1-5);

Forming the flow key based on the application of the determined bit-value mask to the at least one field (Ikeda teaches an extracted packet header from an IP packet is masked with the retrieval flag to create a post-mask retrieval key and used for flow identification) (column 3, lines 11-15, 25-30, 64-66, column 8, lines 13-15, column 9, lines 44-47, 60-63);

Indexing the flow table with reference to the masked flow key (Ikeda teaches several tables used for obtaining flow information according to the masked key. A content-addressable memory (CAM) is used for flow identification as a flow retrieval table. A retrieval flag table stores numeric values and flow identification results corresponding to a post-mark retrieval key. A flow action table storing flow information according to the combination of a Flow Index and Forwarding Index used as the retrieval key) (column 3, lines 26-30, 54-56, column 4, lines 52-55, column 8, lines 56-60, 66-67, column 10, lines 32-39);

Looking up a flow entry in the indexed flow table (Ikeda teaches retrieving a flow retrieval corresponding to a post-mask retrieval key output from the retrieval flag table from a flow retrieval table) (column 5, lines 60-67);

Art Unit: 2157

transmitting data according to the flow entry (Ikeda teaches retrieving flow action information from a flow action table wherein the information including setting quality of service (QoS), processing the IP packet based on the flow action information from the flow action table to create a transmission IP packet and transmitting the IP packet to its destination) (column 6, lines 10-19).

As per claim 2, Ikeda discloses the method according to claim 1, further comprising: extracting a plurality of fields from a header of the data transmission (column 5, lines 52-54, column 7, lines 37-39);

determining a most granular bit-value mask corresponding to each of the plurality of fields from a plurality of mask tables, wherein each of the plurality of mask tables includes a plurality of bit-value masks (column 7, lines 65-67, column 8, lines 3-10, 16-25);

applying the determined bit-value mask to each of the plurality of fields (column 7, lines 48-59, column 8, lines 35-40, column 9, lines 1-5);

forming the flow key based on the application of the determined bit-value masks to the plurality of field (column 3, lines 11-15, 25-30, 64-66, column 8, lines 13-15, column 9, lines 44-47, 60-63).

As per claim 3, Ikeda discloses the method according to claim 1, further comprising:

if no bit-value mask in a mask table corresponds to the at least one extracted field, no mask is applied to the at least one field (column 10, lines 7-14).

Art Unit: 2157

As per claim 4, Ikeda discloses the method according to claim 3, further comprising:

if no flow entry corresponds to the formed flow key, a default value is used for the flow entry (column 8, lines 45-49).

As per claim 5, Ikeda discloses the method according to claim 1, wherein determining a most granular bit-value mask includes performing a longest prefix match for the at least one field (column 9, lines 49-56).

As per claim 6, Ikeda discloses the method according to claim 1, wherein the at least one field includes at least one selected from a group consisting of a source port, a destination port, a source IP address, and a destination IP address (column 7, lines 31-47).

As per claim 7, Ikeda discloses the method according to claim 1, wherein the mask table includes at least one selected from a group consisting of an address mask table and a port mask table (column 8, lines 28-31).

As per claim 8, Ikeda discloses the method according to claim 1, further comprising:
entering a bit-value mask in the mask table by a service provider (column 7, lines 6-14).

As per claim 9, Ikeda discloses the method according to claim 1, wherein the bit-value mask corresponds to a range of a plurality of subscribers to a service (column 4, lines 17-20, 52-55).

Art Unit: 2157

As per claim 10, Ikeda discloses the method according to claim 9, wherein the plurality of subscribers includes at least one selected from a group consisting of network hosts and a subnetwork (column 3, lines 30-35).

As per claim 11, Ikeda discloses the method according to claim 1, wherein the bit-value mask corresponds to at least one network application (column 3, lines 49-53).

As per claim 12, Ikeda discloses the method according to claim 1, wherein the flow entry includes transmission information (column 12, lines 59-65).

As per claim 13, Ikeda discloses the method according to claim 12, wherein the transmission information includes at least one selected from a group consisting of application specific qualities and service specific qualities (column 3, lines 33-36, 50-53).

As per claim 14, Ikeda discloses the method according to claim 13, wherein the transmission information includes at least one selected from a group consisting of policy, quality of service, and latency (column 4, lines 17-20, 52-55).

As per claim 15, Ikeda discloses a system for transmitting data according to a flow table, a flow key, and one or more variables, the system comprising:

a receiving unit configured to receive a data transmission (column 3, lines 4-8, column 4, lines 30-32, column 7, lines 38-40);

an extraction unit configured to extract at least one field from a header of the data transmission (column 5, lines 52-54, column 7, lines 37-39);

Art Unit: 2157

a mask table including a plurality of bit-value masks (column 3, lines 26-30, 54-56, column 4, lines 52-55, column 8, lines 56-60, 66-67, column 10, lines 32-39);

a masking unit configured to determine a most granular bit-value mask corresponding to the at least one field from the mask table, apply the determined bit-value mask to the at least one field, and output a masked flow key (column 7, lines 65-67, column 8, lines 3-10, 16-25);

a flow table indexed with reference to the masked flow key (column 5, lines 60-67);

a transmitter configured to transmit the data transmission according to a flow entry in the flow table corresponding to the masked flow key of the data transmission (column 6, lines 10-19).

As per claim 16, Ikeda discloses the system according to claim 15, further comprising:

a plurality of mask tables, each including a plurality of bit-value masks (column 7, lines 10-22).

As per claim 17, Ikeda discloses the system according to claim 15, wherein the masking unit is configured to determine a most granular bit-value mask by performing a longest prefix match for the at least one field (column 7, lines 60-67).

As per claim 18, Ikeda discloses the system according to claim 15, wherein the at least one field includes at least one selected from a group consisting of a source port, a destination port, a source IP address, and a destination IP address (column 7, lines 42-47).

As per claim 19, Ikeda discloses the method according to claim 15, wherein the mask table includes at least one selected from a group consisting of an address mask table and a port mask table (column 8, lines 22-32).

As per claim 20, Ikeda discloses the method according to claim 15, wherein the bit value mask is configured to allow at least one bit-value mask to be entered by a service provider (column 3, lines 25-35).

Response to Arguments

3. Applicant's arguments filed have been fully considered but they are not persuasive.

The Office notes the following argument(s):

(a) Ikeda does not disclose or suggest a method for transmitting data according to a flow table, flow key, and one or more variables, including at least the combination of determining a most granular bit-value mask corresponding to at least one field extracted from a header of a data transmission from a mask table having plurality of bit-value masks, and applying the determined bit-value mask to the at least one field recited in amended claim 1.

In response to:

(a) Ikeda teaches masking each field in the header of a received IP packet and creating a mask retrieval key. The flow retrieval table stores a mask retrieval key and flow retrieval key in a correspondence relationship. The retrieval flag table can be retrieved in accordance with the longest prefix matching or other arbitrary rule. The

Art Unit: 2157

packet and processing section processes the packet base on the flow action information from the flow action table (column 7, lines 35-41, 49-59, column 8, lines 12-25, column 9, lines 9-12, 44-47, column 10, lines 15-20, 48-52, 58-63).

Indeed, Ikeda teaches the claim limitation of claim 1.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara N. Burgess whose telephone number is (571) 272-3996. The examiner can normally be reached on M-F (8:00am-4:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Ettinene can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Barbara N Burgess
Examiner
Art Unit 2157

October 27, 2007



MOUSTAFA MEKY
PRIMARY EXAMINER